

MORI SEIKI

MEM \*\*\* \*\*

7.87 inch/min  
S0% 0 min<sup>-1</sup>

00061 N0000

10:44:16

TIMER

WORK COUNT W CODE	30
WORK COUNT (W02/W30)	1 (0-VALID 1-INVALID)
WORK COUNT	245
MAX WORK COUNT	2
OPERATION TIME	2723 H 46 M 26 S
CUTTING TIME	8362 H 45 M 15 S
POWER ON	36300 H 6 M 47 S
DATE	2023 / 10 / 18
TIME	10 : 44 : 16

EXIT

F1 F2 F3 F4 F5 F6 F7 F8 F9 F10

SET

POS PROG OFFSET CAPS SYSTEM MESSAGE SETTING NETWORK

Q W E R T Y U I O P

A S D F G H J K L

Z X C V B N M



扉を開ける場合は、必ずVハンドルの把手を  
"OPEN/RESET"に合わせて開けてください。  
CAUTION!  
Before opening the door, make sure the V-handle  
lever is set to "OPEN/RESET" and then open the door.

MACHINING CENTER  
Dura Vertical 1035 eco

**DMG MORI SEIKI**

No. 6103000083E

Date 2012

12000 max. 1/min


Current rating of main spindle 67 A

12000 max. 1/min

Machine weight 6200 kg

Short circuit current  kA

V max



MORI SEIKI CO., LTD.  
2-35-16 Meieki, Nakamura-ku  
Nagoya City Aichi 450-0002, Japan  
TEL: +81-52-587-1811  
FAX: +81-52-587-1818  
Made in P.R. China  
MORISEIKI service: www.moriseiki.com

Factory ID #

278900